



miRBase precursor : hsa-mir-4521  
 Total read count : 40  
 hsa-miR-4521 read count : 40  
 remaining reads : 0



**hsa-miR-4521**

5'	ucggcuaaggaaguccugugcucaguuuuuguagcauaaaacuaggauuucucuuguuac	-3'	exp	reads	mm	sample
..(((.(((((((.....(((((((.....))))))))))))))))..	..gcuaggaaguccugugcucag.....			1	0	Z3_
..gcuaggaaguccugugcucagu.....				1	0	Z3_
..gcuaggaaguccugugcucaguu.....				2	0	Z3_
..gcuaggaaguccugugcucaguuu.....				2	0	Z3_
..gcuaggaaguccugugcucaguu.....				2	0	Z1_
..gcuaggaaguccugugcucagu.....				3	0	GDM
..gcuaggaaguccugugcucaguu.....				6	0	GDM
..gcuaggaaguccugAgcucaguu.....				1	1	GDM
..gcuaggaaguccugugcucaguC.....				4	1	GDM
..gcuaggaaguccugugcucaguu.....				6	0	GDM
..gcuaggaaguccugugcucaguu.....				1	1	GDM
..gcuaggaaguccugugcucaguuu.....				3	0	GDM
..gcuaggaaguccugugcucaguuu.....				3	0	GDM
..gcuaggaaguccugugcucagu.....				5	0	Z2_
..gcuaggaaguccugugcucaguu.....				4	0	Z2_
..gcuaggaaguccugugcucaguuu.....				4	0	Z2_
.....ggaaguccugugcucaguuu.....				1	0	Z2_